



SETUP

- Open Velcro straps #4 & #5.
- Locate the black wrist ring. Pull up on the gray latch to unlock the ring. Rotate the ring until the blue stickers line up. Push the latch to lock the ring.
- Locate the silver wrist joint next to the black wrist ring. Push the blue button to lock in place.
- Remove the MyoPro finger piece.
- Find #1 on the MyoPro hand. Push the blue button to open the motor.
- Open velcro strap #3. Rotate the MyoPro hand so that it is easier to “grab the green.”



INSTRUCTIONS

1. Using your helping hand to open the fingers, “**grab the green**” MyoPro hand bar and push your thumb down into the thumb piece.
2. Find strap #3. Pull up on the strap until there is no slack and it feels snug.
3. Feed strap #3 **through the blue** ring.
4. Fold the strap on top of the hand and fasten when you find the white line.
5. Push the hand motor closed and rotate the hand until the wrist is in a straight position.
6. Slide the forearm into the black wrist ring and forearm cuff.
7. Pull the upper cuff up to hug the arm.
8. Push the elbow and forearm down into the MyoPro.
9. Feed strap #4 **through the blue** ring.
10. Fold the strap and fasten when you find the white line.
11. Move your elbow away from your body. Reach your helping hand under your arm to find strap #5.
12. Feed strap #5 **through the blue** ring.
13. Fold the strap and fasten when you find the white line.
14. Smooth out any folded liner edges and skin.
15. Attach the MyoPro finger piece.




HAND

2




3


Grab the green



Snug the strap




Blue goes through, then find the line



Close the motor



Kiss the wrist, then Wrist into ring



ARM


4

5


Cuff up




Push arm down




Blue goes through



Blue goes through




Find the lines, then Smooth liners and skin




FINGERS

Scoop fingers



Hook until clicks



FINISHED

